

XML Schema - Structures Quick Reference



©2002 D Vint Productions
xmlhelp@dvint.com
http://www.xml.dvint.com

ver 10/02

Note: All schema components allow attributes from non-schema namespaces.

1 Namespaces §2.6 pt1

- <http://www.w3.org/2001/XMLSchema>
- <http://www.w3.org/2001/XMLSchema-instance>

2 Schema Declaration §3.15.2 pt1

```
<schema id = ID
  attributeFormDefault = ( 'qualified' | 'unqualified' ) : 'unqualified'
  blockDefault = ( '#all' | List of ( 'extension' | 'restriction' | 'substitution' ) ) : ""
  elementFormDefault = ( 'qualified' | 'unqualified' ) : 'unqualified'
  finalDefault = ( '#all' | List of ( 'extension' | 'restriction' ) ) : ""
  targetNamespace = anyURI
  version = token
  xml:lang = language >
  Content: ((include | import | redefine | annotation)*, ((simpleType | complexType |
    group | attributeGroup) | element | attribute | notation), annotation*)
</schema>
```

3 Schema Management §4.2.1, 4.2.2, 4.2.3 pt1

```
<include id = ID
  schemaLocation = anyURI >
  Content: (annotation?) </include>

<redefine id = ID
  schemaLocation = anyURI >
  Content: (annotation | (simpleType | complexType | group | attributeGroup))* </redefine>

<import id = ID
  namespace = anyURI
  schemaLocation = anyURI >
  Content: (annotation?) </import>
```

4 Simple Data Type Declaration §3.14.2 pt1 and §4.1.2 pt2

```
<simpleType id = ID
  final = ( '#all' | ( 'list' | 'union' | 'restriction' ) )
  name = NCName >
  Content: ( annotation ?, ( restriction | list | union ) ) </simpleType>

<list id = ID
  itemType = QName >
  Content: ( annotation ?, ( simpleType ? ) ) </list>

<union id = ID
  memberTypes = List of QName >
  Content: ( annotation ?, ( simpleType * ) ) </union>

<restriction id = ID
  base = QName >
  Content: ( annotation ?, ( simpleType ?, ( minExclusive | minInclusive |
    maxExclusive | maxInclusive | totalDigits | fractionDigits | length | minLength | maxLength |
    enumeration | whiteSpace | pattern )*) ) </restriction>
```

Constraining Facets

```
<length id = ID
  fixed = boolean : false
  value = nonNegativeInteger >
  Content: (annotation?) </length>

<minLength id = ID
  fixed = boolean : false
  value = nonNegativeInteger >
  Content: (annotation?) </minLength>

<maxLength id = ID
  fixed = boolean : false
  value = nonNegativeInteger >
  Content: (annotation?) </maxLength>

<pattern id = ID
  value = anySimpleType >
  Content: (annotation?) </pattern>

<enumeration id = ID
  value = anySimpleType >
  Content: (annotation?) </enumeration>

<whiteSpace id = ID
  fixed = boolean : false
  value = ( 'collapse' | 'preserve' |
  'replace' ) >
  Content: (annotation?) </whiteSpace>

<maxInclusive id = ID
  fixed = boolean : false
  value = anySimpleType >
  Content: (annotation?) </maxInclusive>

<maxExclusive id = ID
  fixed = boolean : false
  value = anySimpleType >
  Content: (annotation?) </maxExclusive>

<minInclusive id = ID
  fixed = boolean : false
  value = anySimpleType />
  Content: (annotation?) </minInclusive>

<minExclusive id = ID
  fixed = boolean : false
  value = anySimpleType >
  Content: (annotation?) </minExclusive>

<totalDigits id = ID
  fixed = boolean : false
  value = positiveInteger >
  Content: (annotation?) </totalDigits>

<fractionDigits id = ID
  fixed = boolean : false
  value = nonNegativeInteger >
  Content: (annotation?) </fractionDigits>
```

5 Complex Data Type Declaration §3.4.2 pt1

```
<complexType id = ID
  abstract = boolean : 'false'
  block = ( '#all' | List of ( 'extension' | 'restriction' ) )
  final = ( '#all' | List of ( 'extension' | 'restriction' ) )
  mixed = boolean : 'false'
  name = NCName >
  Content: (annotation?, (simpleContent | complexContent | ((group | all | choice |
  sequence)?, ((attribute | attributeGroup)*, anyAttribute?))) </complexType>
```

Simple Content §3.4.2 pt1

```
<simpleContent id = ID >
  Content: (annotation?, (restriction | extension)) </simpleContent>

<restriction id = ID
  base = QName >
  Content: (annotation?, (simpleType?, (minExclusive | minInclusive | maxExclusive |
  maxInclusive | totalDigits | fractionDigits | length | minLength | maxLength |
  enumeration | whiteSpace | pattern)*?, ((attribute | attributeGroup)*,
  anyAttribute?)) </restriction>
```

```
<extension id = ID
  base = QName >
  Content: (annotation?, ((attribute | attributeGroup)*, anyAttribute?)) </extension>
```

Complex Content §3.4.2 pt1

```
<complexContent id = ID
  mixed = boolean >
  Content: (annotation?, (restriction | extension)) </complexContent>

<restriction id = ID
  base = QName >
  Content: (annotation?, (group | all | choice | sequence)?,
  ((attribute | attributeGroup)*, anyAttribute?)) </restriction>
```

§4.3 pt2

```
<extension id = ID
  base = QName >
  Content: (annotation?, ((group | all | choice | sequence)?,
  ((attribute | attributeGroup)*, anyAttribute?))) </extension>
```

6 Element Declaration §3.3.2 pt1

```
<element id = ID
  abstract = boolean : false
  block = ( '#all' | List of ( 'extension' | 'restriction' | 'substitution' ) )
  default = string
  final = ( '#all' | List of ( 'extension' | 'restriction' ) )
  fixed = string
  form = ( 'qualified' | 'unqualified' )
  maxOccurs = (nonNegativeInteger | 'unbounded' ) : 1
  minOccurs = nonNegativeInteger : 1
  name = NCName
  nillable = boolean : 'false'
  ref = QName
  substitutionGroup = QName
  type = QName >
  Content: (annotation?, ((simpleType | complexType)?,
  (unique | key | keyref)*)) </element>
```

7 Content Model §3.8.2 pt1

```
<choice id = ID
  maxOccurs = (nonNegativeInteger | unbounded) : 1
  minOccurs = nonNegativeInteger : 1 >
  Content: (annotation?, (element | group | choice | sequence | any)* ) </choice>

<sequence id = ID
  maxOccurs = (nonNegativeInteger | unbounded) : 1
  minOccurs = nonNegativeInteger : 1 >
  Content: (annotation?, (element | group | choice | sequence | any)* ) </sequence>
```

```
<all id = ID
  maxOccurs = 1 : 1 minOccurs = (0 | 1) : 1 >
  Content: (annotation?, element*) </all>
```

8 Wildcard Schema Component §3.10.2 pt1

```
<any id = ID
  maxOccurs = ( nonNegativeInteger | 'unbounded' ) : 1
  minOccurs = nonNegativeInteger : 1
  namespace = ( ( '#any' | '#other' ) | List of (anyURI | ( '#targetNamespace' | '#local' ) ) ) : '#any'
  processContents = ( 'lax' | 'skip' | 'strict' ) : 'strict' >
  Content: (annotation?) </any>
```

§3.4.2 pt1

```
<anyAttribute id = ID
  namespace = ( ( '#any' | '#other' ) | List of ( anyURI | ( '#targetNamespace' | '#local' ) ) ) : '#any'
  processContents = ( 'lax' | 'skip' | 'strict' ) : 'strict' >
  Content: (annotation?) </anyAttribute>
```

9 Attribute Declaration §3.2.2 pt1

```
<attribute id = ID
  default = string
  fixed = string
  form = ( 'qualified' | 'unqualified' )
  name = NCName
  ref = QName
  type = QName
  use = ( 'optional' | 'prohibited' | 'required' ) : 'optional' >
  Content: (annotation?, (simpleType?)) </attribute>
```

10 Element Group Declaration (*parameter entity like*) §3.7.2 pt1

```
<group
maxOccurs = (nonNegativeInteger | unbounded) : 1
minOccurs = nonNegativeInteger : 1
name = NCName
ref = QName
Content: (annotation?, (all | choice | sequence)?) </group>
```

11 Attribute Group Declaration (*parameter entity like*) §3.6.2 pt1

```
<attributeGroup id = ID
name = NCName >
Content: (annotation?, ((attribute | attributeGroup)*, anyAttribute?)) </attributeGroup>
```

12 Identity-constraint Definitions §3.11.2 pt1

```
<unique id = ID
name = NCName >
Content: (annotation?, (selector, field+)) </unique>
```

```
<key id = ID
name = NCName >
Content: (annotation?, (selector, field+)) </key>
```

```
<keyref id = ID
name = NCName
refer = QName >
Content: (annotation?, (selector, field+)) </keyref>
```

```
<selector id = ID
xpath = a subset of XPath expression >
Content: (annotation?) </selector>
```

```
<field id = ID
xpath = a subset of XPath expression >
Content: (annotation?) </field>
```

13 Schema Documentation Components §3.13.2 pt1

```
<annotation id = ID>
Content: (appinfo | documentation)* </annotation>
```

```
<appinfo
source = anyURI>
Content: ((any))* </appinfo>
```

```
<documentation
source = anyURI
xml:lang = language>
Content: ((any))* </documentation>
```

14 Notation Declaration §3.12.2 pt1

```
<notation id = ID
name = NCName
public = anyURI
system = anyURI >
Content: (annotation?) </notation>
```

15 Defined Attribute Values

{any} Any element not part of Schema namespace.

#all All of the values listed

[final attribute] *controls further derivation* §3.4.1 pt1

list A finite-length (possibly empty) sequence of values

union A combination of the of one or more other datatypes.

restriction Values for constraining facets are specified to a subset of those of its base type.

[namespace attribute] *controls use of namespaces* §3.4.2 pt1

##any Any namespace (default)

##other Any namespace other than target namespace

##targetNamespace Must belong to the target namespace of schema

##local Any unqualified XML from local namespace

[processContents attribute] *specify how contents should be processed for validation* §3.10.1 pt1

strict There must be a top-level declaration for the item available, or the item must have an xsi:type, and must be valid.

skip No constraints at all: the item must simply be well-formed.

lax Validate where you can, don't worry when you can't.

[form attribute] *controls namespace qualifying* §3.2.2 pt1

qualified Namespace qualified

unqualified No namespace qualification

[use attribute] *specifies the use of an attribute* §3.2.2 pt1

optional Attribute is optional

prohibited Attribute is prohibited

required Attribute is required to have a value

[whitespace attribute] *specifies whitespace handling* §3.1.4 pt 1, §4.3.6 pt 2

preserve The value is the normalized value

replace All occurrences of tab, line feed and carriage return are replaced with space.

collapse Contiguous sequences of spaces are collapsed to a single space, and initial and/or final spaces are deleted.

16 Built-in Types

anyType Built-in Complex type definition of Ur-Type. §3.4.7 pt1

anySimpleType Built-in Simple type definition of Ur-Type. §3.14.7 pt1

17 Schema Instance Related Markup §2.6 pt1 and §3.2.7 pt1

xsi:type An element in an instance may explicitly assert its type using the attribute xsi:type. The value is a QName associated with a type definition. §2.6.1 pt1

xsi:nil An element may be valid without content if it has the attribute xsi:nil with the value true. §2.6.2 pt1

xsi:noNamespaceSchemaLocation,
xsi:schemaLocation Provide hints as to the physical location of schema documents §2.6.3 pt1

18 Simple Data Types and Constraining Facets

Simple Data Type	length	minLength	maxLength	pattern	enumeration	whiteSpace	maxInclusive	maxExclusive	minExclusive	minInclusive	totalDigits	fractionDigits
anyURI	u	u	u	u	u	u						
base64Binary	u	u	u	u	u	u						
boolean				u	u	u						
byte - 127 to-128			u	u	u	u	u	u	u	u	u	u
date - CCYY-MM-DD				u	u	u	u	u	u	u		
dateTime - CCYY-MM-DDThh:mm:ss				u	u	u	u	u	u	u		

Simple Data Type	length	minLength	maxLength	pattern	enumeration	whiteSpace	maxInclusive	maxExclusive	minExclusive	minInclusive	totalDigits	fractionDigits
decimal - Arbitrary precision decimal numbers				u	u	u	u	u	u	u	u	u
double - Double-precision 64-bit floating point				u	u	u	u	u	u	u		
duration - PnYn MnDTnH nMn S				u	u	u	u	u	u	u		
ENTITIES	u	u	u		u	u						
ENTITY	u	u	u	u	u	u						
float - 32-bit floating point type				u	u	u	u	u	u	u		
gDay				u	u	u	u	u	u	u		
gMonth				u	u	u	u	u	u	u		
gMonthDay				u	u	u	u	u	u	u		
gYear				u	u	u	u	u	u	u		
gYearMonth				u	u	u	u	u	u	u		
hexBinary	u	u	u	u	u	u						
ID	u	u	u	u	u	u						
IDREF	u	u	u	u	u	u						
IDREFS	u	u	u		u	u						
int - 2147483647 to -2147483648.				u	u	u	u	u	u	u	u	u
integer				u	u	u	u	u	u	u	u	u
language - RFC 1766] Example: en, fr	u	u	u	u	u	u						
list	u	u	u	u	u	u						
long - 9223372036854775807 to -9223372036854775808				u	u	u	u	u	u	u	u	u
Name	u	u	u	u	u	u						
NCName	u	u	u	u	u	u						
negativeInteger				u	u	u	u	u	u	u	u	u
NMTOKEN	u	u	u	u	u	u						
NMTOKENS	u	u		u	u	u						
nonNegativeInteger				u	u	u	u	u	u	u	u	u
nonPositiveInteger				u	u	u	u	u	u	u	u	u
normalizedString	u	u	u	u	u	u						
NOTATION	u	u	u	u	u	u						
positiveInteger				u	u	u	u	u	u	u	u	u
QName	u	u	u	u	u	u						
short - 32767 to -32768				u	u	u	u	u	u	u	u	u
string	u	u	u	u	u	u						
time - hh:mm:ss				u	u	u	u	u	u	u		
token	u	u	u	u	u	u						
union				u	u							
unsignedByte - 0 to 255				u	u	u	u	u	u	u	u	u
unsignedInt - 0 to 4294967295				u	u	u	u	u	u	u	u	u
unsignedLong - 0 to 18446744073709551615				u	u	u	u	u	u	u	u	u
unsignedShort - 0 to 65535				u	u	u	u	u	u	u	u	u